



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/721,220	11/22/2000	Husnain Bajwa	UNIP:001	9750
29395	7590	10/31/2007		
H. DALE LANGLEY, JR. THE LAW FIRM OF H. DALE LANGLEY, JR. PC 610 WEST LYNN AUSTIN, TX 78703			EXAMINER MEHRA, INDER P	
			ART UNIT 2617	PAPER NUMBER
			MAIL DATE 10/31/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

09/721,220

Applicant(s)

BAJWA ET AL.

Examiner

Inder P. Mehra

Art Unit

2617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 June 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 22-24 and 29-35 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 22-24 and 29-35 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 22 November 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This office action is in response to amendment filed on 8/4/06. Claims 1-28 are pending. Out of 1-28 claims, claims 1-21 and 25-28 have been cancelled without prejudice. Claims 29-35 are newly added. Claims 22-24 and 29-35 are now pending.
2. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.
4. Claims 22-24 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Hakim** (US Patent No. 6,614,780), in view of **Gossett Dalton Jr. et al** (US Patent Application No. 2005/0232222), hereinafter, Gossett..

For claims 22-24 and 29, Hakim discloses a method of operating traffic bearing packet switched network, refer to fig. 1, col. 1 lines 6-8, and col. 2 lines 45-50, the method comprising the steps of:

- **As recited by claims 22-24, receiving at a gateway to the packet-switched network, (the ITS's provide a gateway service, i.e., the capability to interface between the local telephone network and the Internet 405 (packetized network is**

Art Unit: 2617

- Internet , refer to col. 3 lines 58-61), refer to col. 5 lines 27-30); originated from a voice terminal (401) outside the packet-switched network, (refer to fig. 4, the Internet 405).**
- **As recited by claim 22 and 29, the voice terminal (401) being communicatively connected to the gateway (ITS 404) for communication to the gateway of the call (refer to fig. 4), the call comprising a call initiation information (start-up call, col. 5 lines 45-46) and the call initiation information comprising a call destination identifier originated from the voice terminal, as recited by claim 29, (user enters destination number, col. 4 lines 45-46, ITS 404 addresses the call to IP address of the destination, col. 5 lines 20-22);**
 - **As recited by claim 24, receiving at least a portion of the next information stream at the second voice terminal communicably connected to the target device (410 and 411 connected to ITS's 407 and 414 in fig. 4), the second voice terminal for the receipt is dictated based on the identifier (refer to col. 4 lines 45-48),**
 - **As recited by claim 22, packet zing the call initiation information at the gateway (packetization of signals to/ from Internet 720, col. 6 lines 37-39);**
 - **As recited by claims 22-24, directing the packetized call initiation information over the packet-switched network to a centralized authentication service--- authenticating a credential (as recited by claim 23---authentication service, refer to abstract and refer to "rout a call---via router devices", col. 4 lines 42-55);**

Art Unit: 2617

- **As recited by claims 22-23, the re-directing the communicable connection --- and target device** (The ITS-SP answers the call, and prompts the user for an access code to confirm authorization. Once the user is authorized, the user must enter the destination number they wish to connect to. The ITS-SP accesses its database to find the ITS-SP serving the destination number and then proceeds to route the callers request, refer to col. 4 lines 42-55.
- **As recited by claim 22, wherein the re-directing is based, at least in part, on the packetized call initiation information that corresponds to the call initiation information, including the call destination identifier, from the voice terminal to the gateway** (Hakim discloses “confirmation of authorization, destination number, the originating and terminating ITSPs proceed to rout the callers request, col. 4 lines , col. 4 lines 44-48;
- **As recited by claims 23-24, receiving at the target device the next information stream via the packet-switched network,** (the terminating switch 109 sends the call over---to destination telephone number 113, col. 3 lines 38-40);

Hakim does not disclose explicitly the following limitation, which is disclosed by Gossett, as follows:

- **As recited by claim 24, authentication the voice terminal via the encoded voice – band traffic,** (Gossett discloses H323 protocol which includes authorization to voice over IP transmission, refer to paragraphs col. 5 lines 49-52 and col. 3 lines 25-27. As also agreed to by applicant in his remarks at page 4 of response, VOIP

Art Unit: 2617

communications traffic on packet networks is by nature; encoded as data packets and in accordance with network protocols).

- **As recited by claims 22-24, upon authentication by the authentication service,--- dissociating--- the authentication service** (refer to Gossett's col. 5 lines 10-40, and authentication server 602 in fig. 6, and col. 10 lines 15-18).
- **As recited by claims 23, an information stream including encoded voice-band traffic, the information stream comprising a destination identifier, as recited by claim 23,** (Gossett discloses, a destination phone number ---identifies at least one appropriate destination gateway to handle telephone calls, refer to col. 4 lines 38-42);
- **As recited by claim 24, further receiving at the gateway a next information stream representable by next encoded voice-band traffic, the next information stream originating from the voice terminal communicably connected to the gateway,** (Gossett discloses H323 protocol which includes authorization to voice over IP transmission, refer to paragraphs col. 5 lines 49-52 and col. 3 lines 25-27. As also agreed to by applicant in his remarks at page 4 of response, VOIP communications traffic on packet networks is by nature; encoded as data packets and in accordance with network protocols).).

It would have been obvious to a person of ordinary skill in the art at the time of invention to use the capabilities of **“upon authentication by the authentication service,--- the authentication service, as taught by McConrll**. The suggestion to use these capabilities would have been motivated in order to provide capability to make calls from any

Art Unit: 2617

source through a digital-packet based transport network via authentication by dissociated server of Gossett . This provides security and prevents unauthorized users.

For claim 30, Hakim discloses “wherein the telephone number is a PSTN call number and the destination device is a second voice terminal”, refer to col. 4 lines 42-51.

For claim 31, Hakim discloses, “wherein the target device is a second gateway (ITS’s 407 and 414 in fig. 4) , communicably connected to a second voice terminal” (410 and 411 in fig. 4).

For claim 32, Hakim discloses **“wherein the call initiation information comprises a telephone number of the second voice terminal (col. 4 lines 45-46) and the second voice terminal is communicably connected outside the packet-switched network to the second gateway (410 and 411 connected to ITS’s 407 and 414 respectively outside the packet network 405, refer to fig. 4).**

For claim 31, Hakim discloses **“wherein the next information stream includes the destination identifier”,** refer to col. 4 lines 45-46.

For claim 34, Hakim discloses **“communicably connecting a recipient voice terminal to the target device, based on the destination identifier** (410 and 411 connected to ITS’s 407 and 414 respectively outside the packet network 405, refer to fig. 4, and col. 4 lines 50-54, terminating ITS-SP outpulses digits supplied to it).

For claim 35, Hakim discloses **“receiving a voice message at the recipient voice terminal, corresponding to at least a portion of the next information stream”,**(the terminating ITS 414 calls local class-5 switch to complete the connection to the destination telephone 411, refer to fig. 4 and col. 5 lines 4-6) .

Response to Arguments

5. Applicant's arguments with respect to claims 22-24 and 29-35 have been considered but are moot in view of the new ground(s) of rejection.

However, new prior art Gossett, as above, overcomes the prior date October 1, 1999, claimed by applicant. Gossett discloses "Upon receipt of the authorization response message, the source gateway 108 selects a destination gateway 114 from among the list provided by the service point 112. At step 204, the originating gateway 108 then sends a setup message to the selected destination gateway 114, as specified in International Telecommunications Union (ITU) H.323 and associated standards. Those skilled in the art will recognize that the Q.931 standard may be used to define the setup message. To complete the authorization, the setup message must include the authorization ticket for the destination gateway 114", refer to col. 5 lines 11-40.

Applicant argues, "Applicant's amended claims, on the other hand, address dissociation of centralized feature platform upon call authentication. Specifically, Applicant's amendments more distinctly and particularly point out that the step of "re-directing" the call (from the authentication service, once call is authenticated, to the target device) is performed by the network, and not any authentication server or the like. In other words, Applicant's amended claims provide for hand-off of the call, via IP address of intended recipient, upon authentication, wherein the hand-off allows the regular IP network (via IP address of target device, DNS addressing and the like; and not by or because of particular eligible gateway or authentication server infrastructure at source or destination) to route the call from initial gateway to the target device. This is significantly different than the "routing engine" of Gossett. Gossett, in effect, is

dependent on particular source and destination gateways for the authentication list; whereas, Applicant's amended claims address a centralized feature platform that handles authentication only and not routing in manner "dependent" on particular source or destination equipment.

In response, examiner states that applicant did not claim "for hand-off of the call, via IP address of intended recipient, upon authentication, wherein the hand-off allows the regular IP network (via IP address of target device, DNS addressing and the like; and not by or because of particular eligible gateway or authentication server infrastructure at source or destination) to route the call from initial gateway to the target device".

Further, examiner states that Authentication service is not executor of the call, but only to identify the identity of the caller.

In light of above explanation, arguments by applicant are not persuasive.

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Inder P. Mehra whose telephone number is 571-272-3170. The examiner can normally be reached on Monday through Friday from 8AM to 5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Feild can be reached on 571-272-4090. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications

Art Unit: 2617

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Inder Pal Mehra 10/29/07

Inder P Mehra

Examiner

Art Unit 2617